

Δ Bd.#	Part No.	Bd.	Sch. Ref.	Description	PAD	Price
	CPB1614			Main PCB "93" REV. E8	U	3.15
001	CPR0050	A1	J	0Ω, Jumper Wire	U	0.01
002	CPS1804	B1	EE2	8 Cond. Straight Header	U	0.19
003	CPR0050	C1	FF4	0Ω Jumper Wire	U	0.01
004	CPR0006	C1	FF1	510Ω ±5%, 1/4W, CF	U	0.01
005	CPR0029	C1	NN5	200KΩ ±5%, 1/4W, CF	U	0.01
006	CPR0006	C1	CC2	510Ω ±5%, 1/4W, CF	U	0.01
008	CPQ1310	B1	NN5	.1A, 300V, PNP, 2SA1371AE	U	0.23
009	CPR0136	B1	LL7	1.62KΩ ±1%, 1/4W, MF	U	0.01
010	CPC1058	A1	LL7	.1uF ±5%, 50V, Film	U	0.05
011	CPR0018	A1	MM4	62KΩ ±5%, 1/4W, CF	U	0.01
012	CPR0009	A1	EE5	1KΩ ±5%, 1/4W, CF	U	0.01
014	CPC1101	A2	FF5	10uF, 50V, Electrolytic	U	0.03
015	CPR0050	B2	J	0Ω, Jumper Wire	U	0.01
016	CPC1101	B1	EE4	10uF, 50V, Electrolytic	U	0.03
017	CPR0015	B1	NN4	22KΩ ±5%, 1/4W, CF	U	0.01
018	CPD1251	B1	FF5	10mA, 75V Diode, 1N4148	U	0.01
019	CPR0050	C1	NN4	0Ω, Jumper Wire	U	0.01
020	CPR0145	C2	FF5	15.8KΩ ±1%, 1/4W, MF	U	0.01
021	CPR0006	C2	MM3	510Ω ±5%, 1/4W, CF	U	0.01
022	CPR0143	C2	MM3	10.0KΩ ±1%, 1/4W, MF	U	0.01
023	CPR0143	C2	MM4	10.0KΩ ±1%, 1/4W, MF	U	0.01
026	CPC1102	C2	NN4	100uF, 25V, Electrolytic	U	0.04
029	CPR0143	C2	MM5	10.0KΩ ±1%, 1/4W, MF	U	0.01
030	CPR0411	C2	NN7	10K ±20%, 1/5W, White Pot	U	0.33
031	CPR0143	C2	NN5	10.0KΩ ±1%, 1/4W, MF	U	0.01
032	CPR0050	C2	J	0Ω, Jumper Wire	U	0.01
033	CPI1405	B2	MM6	Quad OP Amp IC, LM324	U	0.24
034	CPR0144	B2	MM4	12.1KΩ ±1%, 1/4W, MF	U	0.01
035	CPC1102	C1	NN4	100uF, 25V, Electrolytic	U	0.04
036	CPQ1302	A2	FF5	30V, .3A, PNP, D, MPSA64	U	0.06
037	CPR0145	A2	MM4	15.8KΩ ±1%, 1/4W, MF	U	0.01
038	CPR0143	A2	MM6	10.0KΩ ±1%, 1/4W, MF	U	0.01
039	CPR0050	A2	FF4	0Ω, Jumper Wire	U	0.01
040	CPR0029	A2	MM6	200KΩ ±5%, 1/4W, CF	U	0.01
041	CPR0411	A2	NN7	10K ±20%, 1/5W, White Pot	U	0.33
042	CPR0140	B2	NN7	3.92KΩ ±1%, 1/4W, MF	U	0.01
043	CPR0163	A3	LL8	28.0KΩ ±1%, 1/4W, MF	U	0.01
044	CPR0015	A3	MM7	22KΩ ±5%, 1/4W, CF	U	0.01
045	CPR0144	A3	LL8	12.1KΩ ±1%, 1/4W, MF	U	0.01
047	CPC1032	B3	MM8	.01uF ±5%, 50V, Film	U	0.03
048	CPR0050	A3	J	0Ω, Jumper Wire	U	0.01
049	CPI1414	B3	MM8	OP Amp / Comp. IC, LM392	U	0.57
050	CPR0024	B3	NN6	3.3KΩ ±5%, 1/4W, CF	U	0.01
051	CPR0143	B2	NN5	10.0KΩ ±1%, 1/4W, MF	U	0.01
052	CPR0140	B2	NN7	3.92KΩ ±1%, 1/4W, MF	U	0.01
053	CPR0024	B3	NN6	3.3KΩ ±5%, 1/4W, CF	U	0.01
054	CPC1032	B3	MM7	.01uF ±5%, 50V, Film	U	0.03
055	CPR0143	B3	MM8	10.0KΩ ±1%, 1/4W, MF	U	0.01
056	CPR0013	B3	NN8	6.8KΩ ±5%, 1/4W, CF	U	0.01
057	CPC1027	B3	NN8	6,800pF ±5%, 100V, Film	U	0.07
058	CPR0154	B3	MM8	44.2KΩ ±1%, 1/4W, MF	U	0.01
060	CPR0012	B3	NN8	2.7KΩ ±5%, 1/4W, CF	U	0.01
061	CPC1102	B3	LL8	100uF, 25V, Electrolytic	U	0.04
062	CPR0009	A3	EE3	1KΩ ±5%, 1/4W, CF	U	0.01
063	CPR0002	A3	FF5	18Ω ±5%, 1/4W, CF	U	0.01
064	CPR0012	A3	BB5	2.7KΩ ±5%, 1/4W, CF	U	0.01
065	CPR0009	A3	EE6	1KΩ ±5%, 1/4W, CF	U	0.01
066	CPR0124	A3	EE6	75.0Ω ±1%, 1/4W, MF	U	0.01
067	CPR0050	A4	EE3	0Ω, Jumper Wire	U	0.01
068	CPR0050	A4	J	0Ω, Jumper Wire	U	0.01
071	CPQ1322	B3	EE5	30V, .6A, NPN, PN2222A, Motorola.	U	0.05

Δ Bd.#	Part No.	Bd.	Sch. Ref.	Description	PAD	Price
	072	CPQ1322	B3	AA4	30V, .6A, NPN, PN2222A, Motorola.	U 0.05
	076	CPR0136	B4	CC5	1.62KΩ ±1%, 1/4W, MF	U 0.01
	078	CPR0012	B3	BB4	2.7KΩ ±5%, 1/4W, CF	U 0.01
	080	CPD1253	B3	BB4	1A, 600V, Fast D., 1N4937	U 0.02
	081	CPC1036	B3	BB4	.047uF ±5%, 50V, Film	U 0.04
	082	CPC1041	B3	LL6	.33uF ±5%, 50V, Film	U 0.08
	083	CPR0050	C3	J	0Ω, Jumper Wire	U 0.01
	084	CPD1250	C3	AA5	100mA, 200V Diode, FDH400	U 0.02
	085	CPR0155	C3	DD1	68.1KΩ ±1%, 1/4W, MF	U 0.01
	086	CPD1250	C3	AA5	100mA, 200V Diode, FDH400	U 0.02
	087	CPR0157	C3	DD2	127KΩ ±1%, 1/4W, MF	U 0.01
	088	CPR0050	C3	BB1	0Ω, Jumper Wire	U 0.01
	089	CPC1102	C3	DD2	100uF, 25V, Electrolytic	U 0.04
	090	CPD1252	C3	DD1	1A, 1KV Diode, 1N4007	U 0.01
	092	CPR0050	C3	PP0	0Ω Jumper Wire	U 0.01
	092A	CPR0050	C3	PP0	0Ω Jumper Wire	U 0.01
	093	CPR0004	C3	CC4	270Ω ±5%, 1/4W, CF	U 0.01
	094	CPR0050	C3	NN8	0Ω, Jumper Wire	U 0.01
	095	CPR0143	C3	MM8	10.0KΩ ±1%, 1/4W, MF	U 0.01
	096	CPR0163	C3	NN7	28.0KΩ ±1%, 1/4W, MF	U 0.01
	097	CPR0163	C3	MM7	28.0KΩ ±1%, 1/4W, MF	U 0.01
	098	CPR0018	D2	BB1	62KΩ ±5%, 1/4W, CF	U 0.01
	099	CPR0013	D2	BB1	6.8KΩ ±5%, 1/4W, CF	U 0.01
	100A	CPR0050	D2	BB2	0Ω Jumper, pins 5 to 10.	U 0.01
	100B	CPQ1303	D3	BB2	30V, .6A, NPN, PN2222A	U 0.04
!	102	CPC1027	D2	HH8	6,800pF ±5%, 100V, Film	U 0.07
	104	CPC1000	D2	HH7	56pF ±5%, 100V, Ceramic	U 0.01
	105	CPR0155	D1	GG8	68.1KΩ ±1%, 1/4W, MF	U 0.01
	106	CPR0140	D2	GG8	3.92KΩ ±1%, 1/4W, MF	U 0.01
	107	CPC1000	D2	HH7	56pF ±5%, 100V, Ceramic	U 0.01
	108	CPC1035	D2	HH7	3,300pF ±5%, 100V, Film	U 0.08
	109	CPR0029	E2	MM5	200KΩ ±5%, 1/4W, CF	U 0.01
	110	CPC1005	D1	HH6	1,000pF ±10%, 500V, Ceramic	U 0.01
!	111	CPR0501	E1	JJ9	"J" PRA Power Supply	U 0.79
	112	CPQ1310	D1	HH6	.1A, 300V, PNP, 2SA1371AE	U 0.23
	113	CPR0019	D1	HH6	100KΩ ±5%, 1/4W, CF	U 0.01
	114	CPR0050	E1	HH8	0Ω, Jumper Wire	U 0.01
	114A	CPR0050	D1	HH6	0Ω, Jumper Wire	U 0.01
!	115	CPI1403	E2	II7	PS Control IC, XRC5184	U 3.33
	116	CPD1252	E2	JJ9	1A, 1N4007	U 0.01
	117	CPR0050	E3	J	0Ω, Jumper Wire	U 0.01
	118	CPC1102	E2	II5	100uF, 25V, Electrolytic	U 0.04
	119	CPC1104	E3	MM0	1,000uF, 35V, Electrolytic	U 0.22
	120	CPC1102	E2	II5	100uF, 25V, Electrolytic	U 0.04
	121	CPD1253	F2	II6	1A, 600V, Fast D., 1N4937	U 0.02
	122	CPD1253	F2	II6	1A, 600V, Fast D., 1N4937	U 0.02
	123	CPC1006	F2	HH9	200pF ±10%, 1KV, Ceramic	U 0.01
	124	CPC1058	E2	JJ7	.1uF ±5%, 50V, Film	U 0.05
!	125	CPC1035	F2	KK7	3,300pF ±5%, 100V, Film	U 0.08
!	126	CPR0176	E2	KK7	226K ±1%, 1/4W, MF	U 0.01
	127	CPQ1302	E2	JJ9	30V, .3A, PNP, D, MPSA64	U 0.06
	128	CPC1103	E2	HH9	220uF, 50V, Electrolytic	U 0.14
	129	CPC1009	G1	KK9	100pF ±10%, 500V, Ceramic	U 0.01
	130	CPD1253	F2	KK7	1A, 600V, Fast D., 1N4937	U 0.02
	131	CPC1003	E1	JJ9	2,200pF ±20%, 1KV, Ceramic	U 0.02
	132	CPD1252	F1	JJ6	1A, 1KV Diode, 1N4007	U 0.01
	133	CPR0002	E1	JJ8	18Ω ±5%, 1/4W, CF	U 0.01
	134	CPR0147	F1	JJ7	1.00MΩ ±1%, 1/4W, MF	U 0.01
	135	CPM2037	F2	KK8	Heat Sink For P.S. FET.	U 0.12
!	136	CPQ1304	F2	KK8	4.5A, 450V, Mos Fet, 2SK1446LS	U 1.19
	136A	CPR0050	F2	KK8	22 Gage Buss Wire under P/S	U 0.01
	137	CPR0389	F1	KK8	.33Ω ±5%, 2W, MO	U 0.03

Δ Bd.#	Part No.	Bd. Sch. Ref.	Description	PAD	Price
	138	CPC1006	G1 KK8 200pF ±10%, 1KV, Ceramic	U	0.01
	139	CPR0033	G1 JJ6 30Ω ±5%, 1/4W, CF	U	0.01
	140	CPR0350	F1 KK8 47Ω ±10%, 1/2W, CC	U	0.06
	141	CPD1253	G1 JJ6 1A, 600V, Fast D., 1N4937	U	0.02
!	142	CPD1264	H1 KK6 2A, 600V Fast D., FR205-F	U	0.03
	143A	CPR0018	H1 HH8 62KΩ ±5%, 1/4W, CF	U	0.01
	143B	CPR0017	H1 HH8 36KΩ ±5%, 1/4W, CF	U	0.01
!	144	CPC1107	I1 GG8 330uF, 250V, Electrolytic	U	1.35
	145	CPS1753	J1 GG9 2 Cond. Right Angle Header	U	0.13
	145A	CPM2003	J1 Cable Tie, 4"	U	0.01
!	146	CPR0425	J2 GG9 3 Amp Slow Blo	U	0.32
!	148	CPD1264	J2 GG7 2A, 600V Fast D., FR205-F	U	0.03
	149	CPD1255	F1 JJ7 18V, 1W Zener D., 1N4746A	U	0.05
	150	CPC1003	J2 GG7 2,200pF ±20%, 1KV, Ceramic	U	0.02
	152	CPR0050	I2 GG8 0Ω Jumper, CS=.40"	U	0.01
	155	CPC1003	J2 GG8 2,200pF ±20%, 1KV, Ceramic	U	0.02
!	156	CPD1264	J2 GG9 2A, 600V Fast D., FR205-F	U	0.03
	158	CPR0434	J3 FF9 Posistor 230V, 14Ω	U	0.51
!	159	CPR0426	J3 FF9 Inrush Current Limit	U	0.20
	161	CPS1758	I3 FF9 .093" Dia. Bead Pin, CC1	U	0.02
	162	CPS1758	I3 FF9 .093" Dia. Bead Pin, CC2	U	0.02
!	163	CPC1107	I2 GG8 330uF, 250V, Electrolytic	U	1.35
	164	CPR0050	H2 J 0Ω, Jumper Wire	U	0.01
	165	CPR0050	H2 J 0Ω, Jumper Wire	U	0.01
	165A	CPR0050	H2 J 0Ω, Jumper Wire	U	0.01
!	166	CPT1536	H2 KK7 XX93 S. M. Power Inductor	U	3.66
	167	CPD1253	G3 JJ6 1A, 600V, Fast D., 1N4937	U	0.02
	167A	CPR0018	H2 II4 62KΩ ±5%, 1/4W, CF	U	0.01
	168	CPD1253	G3 KK6 1A, 600V, Fast D., 1N4937	U	0.02
	169	CPD1253	G2 KK5 1A, 600V, Fast D., 1N4937	U	0.02
	170	CPD1253	G2 KK5 1A, 600V, Fast D., 1N4937	U	0.02
	171	CPC1104	F3 JJ6 1,000uF, 35V, Electrolytic	U	0.22
	171A	CPR0050	F3 J 0Ω, Jumper Wire	U	0.01
	172	CPR0050	G3 J 0Ω, Jumper Wire	U	0.01
	173	CPR0019	G3 HH4 100KΩ ±5%, 1/4W, CF	U	0.01
!	175	CPC1107	H3 II6 330uF, 250V, Electrolytic	U	1.35
	176	CPR0050	H4 LL9 0Ω, Jumper Wire	U	0.01
	177	CPR0050	H4 LL9 0Ω, Jumper Wire	U	0.01
	178	CPR0050	H4 J 0Ω, Jumper Wire	U	0.01
	180	CPR0432	G4 GG6 100KΩ @25°C Thermistor	U	0.18
	181	CPD1256	G3 HH6 3W, 160V Zener, BZT03-D160	U	0.22
	182	CPC1103	G3 JJ5 220uF, 50V, Electrolytic	U	0.14
	183	CPR0050	G3 J 0Ω, Jumper Wire	U	0.01
	184	CPR0050	G3 J 0Ω, Jumper Wire	U	0.01
	185	CPR0003	G3 NN3 4.7Ω ±5%, 1/4W, CF	U	0.01
	186	CPR0050	G3 J 0Ω, Jumper Wire	U	0.01
	187	CPR0050	F4 J 0Ω, Jumper Wire	U	0.01
	188	CPR0050	F3 OO3 0Ω, Jumper Wire	U	0.01
	189	CPR0015	F3 NN3 22KΩ ±5%, 1/4W, CF	U	0.01
	190	CPR0050	F3 J 0Ω, Jumper Wire	U	0.01
	191	CPR0050	F3 NN3 0Ω, Jumper Wire	U	0.01
	192	CPR0050	F3 MM3 0Ω, Jumper Wire	U	0.01
	193	CPR0050	E3 MM3 0Ω, Jumper Wire	U	0.01
	194	CPR0050	E3 MM5 0Ω, Jumper Wire	U	0.01
	195	CPR0003	E3 NN3 4.7Ω ±5%, 1/4W, CF	U	0.01
	195A	CPR0050	E3 J 0Ω, Jumper Wire	U	0.01
	196	CPR0004	E3 MM0 270Ω ±5%, 1/4W, CS=0.40"	U	0.01
	197	CPQ1307	E3 LL0 1.5A, 180V, NPN, 2SC4159E	U	0.46
	198	CPR0033	D3 MM0 30Ω ±5%, 1/4W, CF	U	0.01
	198A	CPD1264	D3 JJ5 2A, 600V Fast D., FR205-F	U	0.03
	199	CPD1252	D3 LL0 1A, 1KV Diode, 1N4007	U	0.01
	200	CPR0050	D3 J 0Ω, Jumper Wire	U	0.01

Δ Bd.#	Part No.	Bd. Sch. Ref.	Description	PAD	Price
	202	CPR0050	D3 FF3 0Ω, Jumper Wire	U	0.01
	203	CPR0050	D3 FF1 0Ω, Jumper Wire	U	0.01
	204	CPR0050	D3 J 0Ω, Jumper Wire	U	0.01
	205	CPD1253	D3 FF4 1A, 600V, Fast D., 1N4937	U	0.02
	206	CPS1757	C4 CC1 12 Cond. Straight Header	U	0.25
	207	CPC1036	D4 CC4 .047uF ±5%, 50V, Film	U	0.04
	208	CPR0009	D4 CC3 1KΩ ±5%, 1/4W, CF	U	0.01
	209	CPC1102	C4 DD2 100uF, 25V, Electrolytic	U	0.04
	210	CPI1410	C4 CC3 Dual Comp. IC, LM393N	U	0.17
	211	CPR0050	C4 CC3 0Ω, Jumper Wire	U	0.01
	212	CPQ1301	C4 AA3 60V, .6A, PNP, PN2907A	U	0.04
	213	CPD1250	B4 AA5 100mA, 200V Diode, FDH400	U	0.02
	214	CPR0050	C4 J 0Ω, Jumper Wire	U	0.01
	215	CPR0050	B4 J 0Ω, Jumper Wire	U	0.01
	216	CPR0050	B4 J 0Ω, Jumper Wire	U	0.01
	217	CPR0050	B4 J 0Ω, Jumper Wire	U	0.01
	218	CPR0050	B4 BB7 0Ω, Jumper Wire	U	0.01
	221	CPR0050	A4 DD7 0Ω, Jumper Wire	U	0.01
	222	CPR0050	A4 J 0Ω, Jumper Wire	U	0.01
	223	CPR0140	A4 BB7 3.92KΩ ±1%, 1/4W, MF	U	0.01
	225	CPD1252	A5 AA7 1A, 1KV Diode, 1N4007	U	0.01
	226	CPR0124	A5 AA7 75.0Ω ±1%, 1/4W, MF	U	0.01
	228	CPR0050	A5 CC5 0Ω, Jumper Wire, CS=.30"	U	0.01
	231	CPR0141	A5 DD7 4.42KΩ ±1%, 1/4W, MF	U	0.01
	232	CPR0125	A5 CC7 88.7Ω ±1%, 1/4W, MF	U	0.01
	233	CPD1252	A5 CC7 1A, 1KV Diode, 1N4007	U	0.01
	237	CPQ1301	A6 BB7 60V, .6A, PNP, PN2907A	U	0.04
	238	CPQ1301	B5 CC7 60V, .6A, PNP, PN2907A	U	0.04
	240	CPR0050	B5 J 0Ω, Jumper Wire	U	0.01
	241	CPI1409	B5 BB6 Video Input IC, XRC5346A	U	2.47
	242	CPR0141	B4 CC6 4.42KΩ ±1%, 1/4W, MF	U	0.01
	243	CPD1252	B5 BB7 1A, 1KV Diode, 1N4007	U	0.01
	244	CPR0132	B5 BB5 604Ω ±1%, 1/4W, MF	U	0.01
	245	CPR0134	C5 BB5 1.21KΩ ±1%, 1/4W, MF	U	0.01
	246	CPR0009	C5 EE7 1KΩ ±5%, 1/4W, CF	U	0.01
	248	CPR0011	C5 CC3 1.8KΩ ±5%, 1/4W, CF	U	0.01
	250	CPR0013	C5 CC3 6.8KΩ ±5%, 1/4W, CF	U	0.01
	251	CPR0013	C5 CC3 6.8KΩ ±5%, 1/4W, CF	U	0.01
	252	CPR0011	C5 CC4 1.8KΩ ±5%, 1/4W, CF	U	0.01
	253	CPD1251	D5 CC3 10mA, 75V Diode, 1N4148	U	0.01
	254	CPC1036	C5 FF8 .047uF ±5%, 50V, Film	U	0.04
	257	CPR0011	C5 FF7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	258	CPR0134	C5 BB5 1.21KΩ ±1%, 1/4W, MF	U	0.01
	259	CPC1101	C6 FF7 10uF, 50V, Electrolytic	U	0.03
	260	CPR0136	C5 BB5 1.62KΩ ±1%, 1/4W, MF	U	0.01
	261	CPR0145	B5 BB5 15.8KΩ ±1%, 1/4W, MF	U	0.01
	264	CPR0152	B5 BB7 84.5Ω ±1%, 1/4W, MF	U	0.01
	266	CPQ1301	B5 CC7 60V, .6A, PNP, PN2907A	U	0.04
	267	CPC1102	B5 DD6 100uF, 25V, Electrolytic	U	0.04
	268	CPD1251	B6 CC7 10mA, 75V Diode, 1N4148	U	0.01
	270	CPD1251	B6 BB7 10mA, 75V Diode, 1N4148	U	0.01
	271	CPD1251	B6 AA7 10mA, 75V Diode, 1N4148	U	0.01
	272	CPC1026	C6 DD7 1,000pF ±5%, 100V, Film	U	0.07
	273	CPR0147	C6 DD8 1.00MΩ ±1%, 1/4W, MF	U	0.01
	274	CPQ1303	C6 DD7 30V, .6A, NPN, PN2222A	U	0.04
	275	CPR0143	C6 DD8 10.0KΩ ±1%, 1/4W, MF	U	0.01
	276	CPR0004	B6 CC7 270Ω ±5%, 1/4W, CF	U	0.01
	277	CPR0004	B6 BB7 270Ω ±5%, 1/4W, CF	U	0.01
	278	CPR0004	B6 AA7 270Ω ±5%, 1/4W, CF	U	0.01
	280	CPC1041	B6 BB8 .33uF ±5%, 50V, Film	U	0.08
	281	CPC1041	B6 AA8 .33uF ±5%, 50V, Film	U	0.08
	283	CPC1041	B6 CC8 .33uF ±5%, 50V, Film	U	0.08

Δ Bd.#	Part No.	Bd.	Sch. Ref.	Description	PAD	Price
284	CPR0124	B6	CC9	75.0Ω ±1%, 1/4W, MF	U	0.01
286	CPR0124	B6	BB9	75.0Ω ±1%, 1/4W, MF	U	0.01
288	CPR0124	A6	AA9	75.0Ω ±1%, 1/4W, MF	U	0.01
292	CPS1752	A6	BB9	7 Cond. Straight Header	U	0.18
293	CPR0050	A6	DD5	0Ω, Jumper Wire	U	0.01
295	CPR0050	A7	EE3	0Ω, Jumper Wire	U	0.01
296	CPI1407	A7	EE3	12V, 1A, Regulator, 7812	U	0.25
297	CPR0050	A7	J	0Ω, Jumper Wire	U	0.01
298	CPC1103	A7	FF3	220uF, 50V, Electrolytic	U	0.14
303	CPQ1301	B7	EE7	60V, .6A, PNP, PN2907A	U	0.04
304	CPC1102	B7	EE3	100uF, 25V, Electrolytic	U	0.04
305	CPR0012	B7	EE7	2.7KΩ ±5%, 1/4W, CF	U	0.01
307	CPR0004	B7	CC8	270Ω ±5%, 1/4W, CF	U	0.01
308	CPR0004	B7	BB8	270Ω ±5%, 1/4W, CF	U	0.01
309	CPC1036	C6	EE8	.047uF ±5%, 50V, Film	U	0.04
310	CPR0004	B7	BB8	270Ω ±5%, 1/4W, CF	U	0.01
311	CPQ1303	B6	AA8	30V, .6A, NPN, PN2222A	U	0.04
312	CPQ1303	B6	BB8	30V, .6A, NPN, PN2222A	U	0.04
313	CPQ1303	C6	CC8	30V, .6A, NPN, PN2222A	U	0.04
314	CPR0050	C7	J	0Ω, Jumper Wire	U	0.01
315	CPR0004	C7	DD8	270Ω ±5%, 1/4W, CF	U	0.01
316	CPC1009	C7	EE7	100pF ±10%, 500V, Ceramic	U	0.01
317	CPD1251	C7	EE7	10mA, 75V Diode, 1N4148	U	0.01
318	CPR0050	C6	FF8	0Ω, Jumper Wire	U	0.01
319	CPD1251	C6	EE7	10mA, 75V Diode, 1N4148	U	0.01
320	CPR0012	C7	FF7	2.7KΩ ±5%, 1/4W, CF	U	0.01
322	CPR0013	C7	EE8	6.8KΩ ±5%, 1/4W, CF	U	0.01
323	CPR0015	C7	EE8	22KΩ ±5%, 1/4W, CF	U	0.01
324	CPR0050	C7	J	0Ω, Jumper Wire	U	0.01
325	CPR0011	C7	DD8	1.8KΩ ±5%, 1/4W, CF	U	0.01
326	CPR0004	D7	DD8	270Ω ±5%, 1/4W, CF	U	0.01
327	CPR0004	D7	EE9	270Ω ±5%, 1/4W, CF	U	0.01
328	CPR0050	D7	DD9	0Ω, Jumper Wire	U	0.01
329	CPR0144	D6	EE4	12.1KΩ ±1%, 1/4W, MF	U	0.01
330	CPR0004	D7	DD9	270Ω ±5%, 1/4W, CF	U	0.01
331	CPR0011	D7	DD9	1.8KΩ ±5%, 1/4W, CF	U	0.01
! 332	CPT1505	E7	NN1	Horizontal Drive Transformer	U	0.72
333	CPD1252	D6	FF3	1A, 1KV Diode, 1N4007	U	0.01
334	CPC1103	E6	FF4	220uF, 50V, Electrolytic	U	0.14
336	CPR0138	E6	KK4	2.15KΩ ±1%, 1/4W, MF	U	0.01
337	CPQ1307	E7	MM1	1.5A, 180V, NPN, 2SC4159E	U	0.46
338	CPC1102	E7	LL1	100uF, 25V, Electrolytic	U	0.04
340	CPR0391	F7	LL1	200Ω ±5%, 2W, MO	U	0.03
341	CPR0368	F7	LL1	2.2KΩ ±5%, 1/2W, CF	U	0.01
342	CPD1252	F6	LL1	1A, 1KV Diode, 1N4007	U	0.01
343	CPC1003	F6	MM1	2,200pF ±20%, 1KV, Ceramic	U	0.02
344	CPC1100	E6	II4	1uF, 50V, Electrolytic	U	0.04
! 345	CPC1027	E6	JJ4	6,800pF ±5%, 100V, Film	U	0.07
346	CPC1032	E6	JJ4	.01uF ±5%, 50V, Film	U	0.03
347	CPC1100	E6	II4	1uF, 50V, Electrolytic	U	0.04
348	CPC1027	E6	II4	6,800pF ±5%, 100V, Film	U	0.07
350	CPC1025	D6	HH4	330pF ±5%, 50V, Film	U	0.06
351	CPC1026	D6	GG4	1,000pF ±5%, 100V, Film	U	0.07
352	CPC1000	D6	EE4	56pF ±5%, 100V, Ceramic	U	0.01
353	CPR0145	D6	FF6	15.8KΩ ±1%, 1/4W, MF	U	0.01
355	CPI1406	C6	FF7	Quad Comparator IC, LM339	U	0.18
356	CPR0140	C6	FF7	3.92KΩ ±1%, 1/4W, MF	U	0.01
357	CPR0050	C6	FF6	0Ω, Jumper Wire, CS=.30"	U	0.01
358	CPR0050	C6	GG6	0Ω, Jumper Wire, CS=.40"	U	0.01
361	CPR0157	D6	HH2	127KΩ ±1%, 1/4W, MF	U	0.01
362	CPR0171	D6	HH2	365KΩ ±1%, 1/4W, MF	U	0.01
363	CPR0034	D5	HH2	2.2MΩ ±5%, 1/4W, CF	U	0.01

Δ Bd.#	Part No.	Bd.	Sch. Ref.	Description	PAD	Price
364	CPR0050	D5	EE6	0Ω, Jumper Wire	U	0.01
365	CPR0050	C5	J	0Ω, Jumper Wire	U	0.01
367	CPR0002	D5	FF3	18Ω ±5%, 1/4W, CF	U	0.01
368	CPR0011	D5	CC3	1.8KΩ ±5%, 1/4W, CF	U	0.01
369	CPC1005	E4	FF1	1,000pF ±10%, 500V, Ceramic	U	0.01
370	CPR0015	D5	JJ2	22KΩ ±5%, 1/4W, CF	U	0.01
371	CPR0029	D5	JJ1	200KΩ ±5%, 1/4W, CF	U	0.01
372	CPR0029	D5	KK1	200KΩ ±5%, 1/4W, CF	U	0.01
373	CPQ1303	D5	KK1	30V, .6A, NPN, PN2222A	U	0.04
374	CPC1032	D5	GG1	.01uF ±5%, 50V, Film	U	0.03
375	CPR0019	D5	GG1	100KΩ ±5%, 1/4W, CF	U	0.01
376	CPC1102	D4	FF3	100uF, 25V, Electrolytic	U	0.04
! 377	CPI1415	E4	GG0	V. Deflection IC, LA7838	U	1.31
378	CPM2028	F4	FF0	LA7838 Heat Sink.	U	0.28
378	CPM2037	F4	FF0	LA7838 Heat Sink.	U	0.12
379	CPQ1303	E4	BB2	30V, .6A, NPN, PN2222A	U	0.04
380	CPC1109	E4	II1	470uF, 50V, Electrolytic	U	0.34
382	CPD1252	E4	II1	1A, 1KV Diode, 1N4007	U	0.01
383	CPR0029	E4	AA2	200KΩ ±5%, 1/4W, CF (CS=.45)	U	0.01
384	CPR0015	E4	AA2	22KΩ ±5%, 1/4W, CF	U	0.01
385	CPR0376	E4	HH2	1.2Ω ±5%, 1W, MO	U	0.02
387	CPC1104	F3	KK6	1,000uF, 35V, Electrolytic	U	0.22
388	CPR0019	F4	HH2	100KΩ ±5%, 1/4W, CF	U	0.01
389	CPR0050	E4	BB2	0Ω, Jumper Wire, CS=.74"	U	0.01
390	CPR0157	F4	II1	127KΩ ±1%, 1/4W, MF	U	0.01
391	CPC1101	F5	HH2	10uF, 50V, Electrolytic	U	0.03
392	CPR0011	F5	HH1	1.8KΩ ±5%, 1/4W, CF	U	0.01
393	CPR0155	E5	HH1	68.1KΩ ±1%, 1/4W, MF	U	0.01
394	CPR0364	E5	NN3	100Ω ±5%, 1/2W, CF	U	0.01
395	CPR0050	E5	II1	0Ω, Jumper Wire	U	0.01
396	CPR0003	E5	JJ1	4.7Ω ±5%, 1/4W, CF	U	0.01
397	CPC1037	E5	JJ1	.1uF ±5%, 250V, Film	U	0.07
398	CPC1009	E4	II1	100pF ±10%, 500V, Ceramic	U	0.01
399	CPC1058	D4	LL0	.1uF ±5%, 50V, Film	U	0.05
400	CPR0050	E4	J	0Ω, Jumper Wire	U	0.01
401	CPC1043	E5	HH1	1uF ±5%, 50V, Film	U	0.16
402	CPR0154	E5	GG1	44.2KΩ ±1%, 1/4W, MF	U	0.01
403	CPR0156	E5	GG2	93.1KΩ ±1%, 1/4W, MF	U	0.01
404	CPR0157	E5	KK1	127KΩ ±1%, 1/4W, MF	U	0.01
405	CPD1251	E5	KK1	10mA, 75V Diode, 1N4148	U	0.01
406	CPD1251	E5	JJ1	10mA, 75V Diode, 1N4148	U	0.01
407	CPR0017	E5	JJ1	36KΩ ±5%, 1/4W, CF	U	0.01
408	CPR0145	E5	JJ3	15.8KΩ ±1%, 1/4W, MF	U	0.01
409	CPQ1301	D5	KK0	60V, .6A, PNP, PN2907A	U	0.04
410	CPC1058	E5	GG2	.1uF ±5%, 50V, Film	U	0.05
411	CPQ1303	D5	JJ1	30V, .6A, NPN, PN2222A	U	0.04
412	CPR0029	D5	JJ0	200KΩ ±5%, 1/4W, CF	U	0.01
413	CPR0029	D5	KK0	200KΩ ±5%, 1/4W, CF	U	0.01
414	CPC1032	D6	II2	.01uF ±5%, 50V, Film	U	0.03
! 415	CPI1400	E6	KK3	H. Control IC, LA7851	U	1.59
! 416	CPR0502	E6	II4	"I" PRA Horizontal Control	U	0.79
417	CPR0140	E5	KK3	3.92KΩ ±1%, 1/4W, MF	U	0.01
418	CPR0140	E5	KK2	3.92KΩ ±1%, 1/4W, MF	U	0.01
419A	CPR0050	F5	OO2	0Ω, Jumper, Normal Vertical.	U	0.01
419B	CPR0050	F6	OO2	0Ω, Jumper, Normal Vertical.	U	0.01
420	CPQ1308	E5	NN3	.1A, 200V, NPN, 2SC3467AE	U	0.18
421	CPR0393	F6	MM2	390Ω ±5%, 2W, MO	U	0.03
422	CPR0050	F5	KK1	0Ω, Jumper Wire	U	0.01
423	CPR0006	F5	OO3	510Ω ±5%, 1/4W, CF	U	0.01
424	CPR0004	F5	OO3	270Ω ±5%, 1/4W, CF	U	0.01
425	CPR0367	F5	OO3	150Ω ±5%, 1/2W, CF	U	0.01
426	CPS1759	F5	OO2	.062" Dia. Bead Pin, YC1	U	0.01

Δ	Bd.#	Part No.	Bd.	Sch.	Ref.	Description	PAD	Price
	427	CPS1759	F5	OO2		.062" Dia. Bead Pin, YC2	U	0.01
	428	CPR0367	F6	OO6		150Ω ±5%, 1/2W, CF	U	0.01
	430	CPR0050	F6	OO6		0Ω, Jumper Wire	U	0.01
	431	CPT1517	F6	OO6		H. Linearity Inductor	U	0.77
	432	CPC1006	F6	OO6		200pF ±10%, 1KV, Ceramic	U	0.01
!	433	CPQ1318	G7	NN1		12A, 1.5KV, NPN, 2SC5690	U	3.45
	434	CPR0376	G7	NN1		1.2Ω ±5%, 1W, MO	U	0.02
	435	CPD1252	G7	NN1		1A, 1KV Diode, 1N4007	U	0.01
!	437	CPC1034	H7	PP7		.022uF ±3%, 630V, Film	U	0.08
	438	CPD1264	H6	PP6		2A, 600V Fast D., FR205-F	U	0.03
!	439	CPC1034	H7	PP7		.022uF ±5%, 630V, Film	U	0.08
	440	CPD1264	G6	PP6		2A, 600V Fast D., FR205-F	U	0.03
!	441	CPC1030	H6	PP6		.01uF ±3%, 1.6KV, Film	U	0.24
!	442	CPC1030	H6	PP6		.01uF ±3%, 1.6KV, Film	U	0.24
!	444	CPC1062	H6	PP7		.56uF ±5%, 250V, Film	U	0.50
	445	CPS1759	G5	PP5		.062" Dia. Bead Pin, YC4	U	0.01
	446	CPS1759	G5	OO5		.062" Dia. Bead Pin, YC3	U	0.01
	447	CPT1538	G5	PP3		12 mH, H. Raster Shift Inductor	U	0.74
	449	CPC1104	F4	MM2		1,000uF, 35V, Electrolytic	U	0.22
	450	CPC1104	G4	KK6		1,000uF, 35V, Electrolytic	U	0.22
	452	CPR0050	G4	NN1		0Ω, Jumper Wire	U	0.01
!	453	CPT1544	H5	OO2		15KHz, 1.5mA, FBT Meritron CT-8227	U	14.18
	454	CPR0050	I6	OO7		0Ω, Jumper Wire	U	0.01
	456	CPC1064	I6	OO8		6.8uF ±5%, 100V, Film	U	1.16
	457	CPT1504	I7	OO7		750uH Horz. Width Inductor	U	0.76
	458	CPT1511	J7	OO7		50uH Control Inductor	U	0.70
	460	CPQ1315	J6	OO8		8A, 100V, Mos Fet, IRF520	U	0.41
	461	CPR0006	J6	NN8		510Ω ±5%, 1/4W, CF	U	0.01
	462	CPD1253	J6	NN7		1A, 600V, Fast D., 1N4937	U	0.02
	463	CPC1005	J6	OO8		1,000pF ±10%, 500V, Ceramic	U	0.01
	464	CPR0365	J6	OO8		470Ω ±5%, 1/2W, CF	U	0.01
	465	CPR0352	I6	PP1		470Ω ±10%, 1/2W, CC	U	0.06
	466	CPR0050	I6	MM2		0Ω, Jumper Wire	U	0.01
	475	CPR0374	H7	PP7		.10Ω ±5%, 1W, MO	U	
	476	CPR0374	H7	PP7		.10Ω ±5%, 1W, MO	U	
	477	CPD1266	H7	PP7		2A, 400V, Fast D., HER205	U	0.07
	478	CPD1266	H7	PP7		2A, 400V, Fast D., HER205	U	0.07
	480	CPR0050	G7	J		0Ω, Jumper Wire	U	0.01
	481	CPR0402		EE1		10K ±20%, Yellow Pot	U	0.20
	482	CPR0405		EE1		500Ω ±20%, Black Pot	U	0.20
	483	CPR0401		EE1		1K ±20%, Blue Pot	U	0.20
	484	CPR0403		EE2		20K ±20%, Orange Pot	U	0.20
	485	CPR0400		EE2		1K ±20%, White Pot	U	0.20
	486	CPR0007		FF1		750Ω ±5%, 1/4W, CF	U	0.01
	490	CPB1603		YY0		Remote Control PCB	U	0.49
	508	CPR0050	G5	J		0Ω, Jumper Wire	U	0.01
	523	CPR0050	J4	J		0Ω, Jumper Wire	U	0.01
	524	CPR0050	H4	PP2		0Ω, Jumper Wire	U	0.01
	525	CPR0050	H4	PP2		0Ω, Jumper Wire	U	0.01
	526	CPR0050	H4	J		0Ω, Jumper Wire	U	0.01
	531	CPR0050	F1	J		0Ω, Jumper Wire	U	0.01
	533	CPR0050	G1	KK7		0Ω, Jumper Wire, CS=.450"	U	0.01
	800	CPB1613	L4	YY0		Video Board PCB E7	U	0.89
	801	CPC1058	P1	YY2		.1uF ±5%, 50V, Film	U	0.05
	802	CPR0050	P1	J		0Ω, Jumper Wire	U	0.01
	803	CPR0510	P1	RR2		"K" PRA Video Amplifier	U	1.02
	804	CPR0050	P1	J		0Ω, Jumper Wire	U	0.01
	805	CPQ1308	P1	SS4		.1A, 200V, NPN, 2SC3467AE	U	0.18
	806	CPR0050	P1	J		0Ω, Jumper Wire	U	0.01
	807	CPR0050	N1	J		0Ω, Jumper Wire	U	0.01
	808	CPR0050	P1	J		0Ω, Jumper Wire	U	0.01
	810	CPQ1308	N1	SS1		.1A, 200V, NPN, 2SC3467AE	U	0.18

Δ	Bd.#	Part No.	Bd.	Sch.	Ref.	Description	PAD	Price
	811	CPR0510	N1	RR0		"K" PRA Video Amplifier	U	1.02
	812	CPQ1301	N2	SS2		60V, .6A, PNP, PN2907A	U	0.04
	813	CPR0050	N2	J		0Ω, Jumper Wire	U	0.01
	814	CPR0050	N2	J		0Ω, Jumper Wire	U	0.01
	815	CPC1003	N2	VV5		2,200pF ±20%, 1KV, Ceramic	U	0.02
	816	CPC1058	N2	YY2		.1uF ±5%, 50V, Film	U	0.05
	817	CPC1058	N1	UU2		.1uF ±5%, 50V, Film	U	0.05
	818	CPC1003	P2	VV5		2,200pF ±20%, 1KV, Ceramic	U	0.02
	820	CPR0050	P2	J		0Ω, Jumper Wire	U	0.01
	821	CPR0050	P2	J		0Ω, Jumper Wire	U	0.01
	822	CPQ1301	P2	SS4		60V, .6A, PNP, PN2907A	U	0.04
	823	CPC1037	P2	TT3		.1uF ±5%, 250V, Film	U	0.07
	824	CPC1040	P2	SS3		.015uF ±10%, 250V, Film	U	0.06
	825	CPR0127	P2	SS4		205Ω ±1%, 1/4W, MF	U	0.01
	826	CPR0050	P2	J		0Ω, Jumper Wire	U	0.01
	827	CPQ1301	P2	SS3		60V, .6A, PNP, PN2907A	U	0.04
	828	CPQ1309	P2	SS3		.1A, 200V, PNP, 2SA1370AE	U	0.23
	830	CPR0011	P2	TT4		1.8KΩ ±5%, 1/4W, CF	U	0.01
	831	CPR0011	N2	TT2		1.8KΩ ±5%, 1/4W, CF	U	0.01
	832	CPQ1301	N2	SS0		60V, .6A, PNP, PN2907A	U	0.04
	833	CPQ1309	N2	SS0		.1A, 200V, PNP, 2SA1370AE	U	0.23
	834	CPR0127	N2	SS1		205Ω ±1%, 1/4W, MF	U	0.01
	835	CPD1250	N3	UU0		100mA, 200V Diode, FDH400	U	0.02
	836	CPR0011	N3	TT1		1.8KΩ ±5%, 1/4W, CF	U	0.01
	837	CPQ1309	N2	TT2		.1A, 200V, PNP, 2SA1370AE	U	0.23
	838	CPC1005	N3	TT1		1,000pF ±10%, 500V, Ceramic	U	0.01
	840	CPD1250	N3	TT1		100mA, 200V Diode, FDH400	U	0.02
	841	CPD1250	P3	TT4		100mA, 200V Diode, FDH400	U	0.02
	842	CPQ1309	P2	TT4		.1A, 200V, PNP, 2SA1370AE	U	0.23
	843	CPC1005	P3	TT4		1,000pF ±10%, 500V, Ceramic	U	0.01
	844	CPR0011	P3	TT4		1.8KΩ ±5%, 1/4W, CF	U	0.01
	845	CPD1250	P3	VV0		100mA, 200V Diode, FDH400	U	0.02
	846	CPC1043	P3	XX2		1uF ±5%, 50V, Film	U	0.16
	847	CPD1253	P3	WW2		1A, 600V, Fast D., 1N4937	U	0.02
	848	CPD1252	P3	WW2		1A, 1KV Diode, 1N4007	U	0.01
	849	CPD1250	P3	VV0		100mA, 200V Diode, FDH400	U	0.02
	850	CPQ1306	P3	ZZ3		.1A, 1.5KV, NPN, 2SC3675	U	0.88
	851	CPR0371	N3	WW0		1KΩ ±5%, 1/2W, CF	U	0.01
	852	CPR0018	N3	ZZ3		62KΩ ±5%, 1/4W, CF	U	0.01
	853	CPC1058	N3	XX1		.1uF ±5%, 50V, Film	U	0.05
!	854	CPC1041	N3	XX1		0.33uF ±5%, 50V, Film	U	0.08
	855	CPR0371	N4	XX1		1KΩ ±5%, 1/2W, CF	U	0.01
	856	CPR0366	N4	YY1		100KΩ ±5%, 1/2W, CF	U	0.01
!	857	CPC1074	N3	WW2		.068uF ±5%, 200V, Film	U	0.14
	858	CPR0019	P3	YY3		100KΩ ±5%, 1/4W, CF	U	0.01
	859	CPR0032	P4	YY2		30Ω ±5%, 1/4W, CF, Hairpin.	U	0.01
	860	CPC1106	P3	XX2		10uF, 200V, Electrolytic	U	0.24
	861	CPR0050	P3	J		0Ω, Jumper Wire	U	0.01
	862	CPR0050	P4	J		0Ω, Jumper Wire	U	0.01
	863	CPS1849	P4	ZZ3		12 Cond. Video Cable, 17"	U	1.40
	864	CPR0050	P4	J		0Ω, Jumper Wire	U	0.01
	865	CPR0050	P4	J		0Ω, Jumper Wire	U	0.01
	866	CPR0009	N4	YY3		1KΩ ±5%, 1/4W, CF	U	0.01
	867	CPR0050	N4	J		0Ω, Jumper Wire	U	0.01
	868	CPC1110	N4	VV2		100uF, 50V, Electrolytic	U	0.14
	869	CPR0050	M3	XX1		0Ω, Jumper Wire	U	0.01
	870	CPD1250	N4	VV2		100mA, 200V Diode, FDH400	U	0.02
	871	CPC1002	N4	WW1		330pF ±10%, 500V, Ceramic	U	0.01
	872	CPR0004	M4	VV2		270Ω ±5%, 1/4W, CF	U	0.01
	873	CPR0370	M4	WW1		10KΩ ±5%, 1/2W, CF	U	0.01
	874	CPR0011	M4	VV1		1.8KΩ ±5%, 1/4W, CF	U	0.01
	875	CPR0351	L4	YY2		150Ω ±10%, 1/2W, CC	U	0.06

Δ	Bd.#	Part No.	Bd. Sch. Ref.	Description	PAD	Price
	876	CPR0019	L4	VV1 100KΩ ±5%, 1/4W, CF	U	0.01
!	877	CPS1852	L3	XX0 Single Focus CRT Socket	U	0.95
	878	CPC1003	L3	XX1 2,200pF ±20%, 1KV, Ceramic	U	0.02
	879	CPR0002	L3	XX2 18Ω ±5%, 1/4W, CF	U	0.01
	880	CPR0351	L3	YY1 150Ω ±10%, 1/2W, CC	U	0.06
	881	CPR0368	M3	YY1 2.2KΩ ±5%, 1/2W, CF	U	0.01
	882	CPR0351	L3	XX1 150Ω ±10%, 1/2W, CC	U	0.06
	883	CPR0371	L2	WW1 1KΩ ±5%, 1/2W, CF	U	0.01
	884	CPR0012	K2	VV6 2.7KΩ ±5%, 1/4W, CF	U	0.01
	885	CPC1040	K3	SS6 .015uF ±10%, 250V, Film	U	0.06
	886	CPD1250	K3	VV0 100mA, 200V Diode, FDH400	U	0.02
	887	CPC1037	K2	TT6 .1uF ±5%, 250V, Film	U	0.07
	888	CPD1251	K2	VV6 10mA, 75V Diode, 1N4148	U	0.01
	889	CPC1003	L2	WW6 2,200pF ±20%, 1KV, Ceramic	U	0.02
	890	CPR0009	K2	WW7 1KΩ ±5%, 1/4W, CF	U	0.01
	891	CPR0015	K2	VV6 22KΩ ±5%, 1/4W, CF	U	0.01
	892	CPC1101	L2	YY5 10uF, 50V, Electrolytic	U	0.03
	893	CPR0050	L2	J 0Ω, Jumper Wire	U	0.01
	894	CPC1101	L2	YY5 10uF, 50V, Electrolytic	U	0.03
	895	CPC1101	L2	YY4 10uF, 50V, Electrolytic	U	0.03
	899	CPD1250	N3	UU0 100mA, 200V Diode, FDH400	U	0.02
	900	CPR0371	N3	WW0 1KΩ ±5%, 1/2W, CF	U	0.01
	901	CPC1040	N2	SS1 .015uF ±10%, 250V, Film	U	0.06
	902	CPR0050	N2	J 0Ω, Jumper Wire	U	0.01
	903	CPD1252	N2	VV3 1A, 1KV Diode, 1N4007	U	0.01
	904	CPR0050	M2	J 0Ω, Jumper Wire	U	0.01
	905	CPD1252	M2	WW3 1A, 1KV Diode, 1N4007	U	0.01
	906	CPD1252	M2	WW3 1A, 1KV Diode, 1N4007	U	0.01
	907	CPC1058	M2	WW4 .1uF ±5%, 50V, Film	U	0.05
	908	CPR0016	M2	YY4 33KΩ ±5%, 1/4W, CF	U	0.01
	909	CPR0024	M1	ZZ4 3.3KΩ ±5%, 1/4W, CF	U	0.01
	910	CPR0016	M2	YY5 33KΩ ±5%, 1/4W, CF	U	0.01
	911	CPR0016	M2	YY5 33KΩ ±5%, 1/4W, CF	U	0.01
	912	CPR0018	M2	ZZ4 62KΩ ±5%, 1/4W, CF	U	0.01
	913	CPC1037	N2	TT0 .1uF ±5%, 250V, Film	U	0.07
	914	CPR0145	N1	ZZ4 15.8KΩ ±1%, 1/4W, MF	U	0.01
	915	CPR0050	N1	J 0Ω, Jumper Wire	U	0.01
	917	CPR0506	M1	WW4 "C" PRA, CRT Auto Bias	U	0.79
	918	CPR0050	M1	J 0Ω, Jumper Wire	U	0.01
	920	CPI1405	M1	WW4 Quad OP Amp IC, LM324	U	0.24
	921	CPC1058	M1	WW4 .1uF ±5%, 50V, Film	U	0.05
	922	CPC1036	M1	WW4 .047uF ±5%, 50V, Film	U	0.04
	923	CPC1058	L1	WW5 .1uF ±5%, 50V, Film	U	0.05
	924	CPC1036	L1	WW5 .047uF ±5%, 50V, Film	U	0.04
	925	CPC1058	L1	WW5 .1uF ±5%, 50V, Film	U	0.05
	926	CPC1036	L1	WW6 .047uF ±5%, 50V, Film	U	0.04
	927	CPI1402	L2	XX4 CRT Bias IC, CA3224E	U	3.47
	928	CPQ1301	K1	WW7 60V, .6A, PNP, PN2907A	U	0.04
	930	CPC1058	K1	VV7 .1uF ±5%, 50V, Film	U	0.05
	931	CPR0011	K1	WW7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	932	CPR0050	L1	J 0Ω, Jumper Wire	U	0.01
	933	CPR0011	K1	WW7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	934	CPC1058	K1	RR7 .1uF ±5%, 50V, Film	U	0.05
	935	CPR0050	L1	J 0Ω, Jumper Wire	U	0.01
	936	CPR0050	K1	J 0Ω, Jumper Wire	U	0.01
	937	CPR0510	K1	RR5 "K" PRA Video Amplifier	U	1.02
	938	CPR0011	K1	VV7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	940	CPR0140	K1	VV7 3.92KΩ ±1%, 1/4W, MF	U	0.01
	941	CPC1003	K1	VV4 2,200pF ±20%, 1KV, Ceramic	U	0.02
	942	CPQ1302	K1	VV7 30V, .3A, PNP, D, MPSA64	U	0.06
	943	CPQ1308	K2	SS7 .1A, 200V, NPN, 2SC3467AE	U	0.18
	944	CPR0050	K2	J 0Ω, Jumper Wire	U	0.01

Δ	Bd.#	Part No.	Bd. Sch. Ref.	Description	PAD	Price
	945	CPQ1301	K2	SS7 60V, .6A, PNP, PN2907A	U	0.04
	946	CPR0050	K2	J 0Ω, Jumper Wire	U	0.01
	947	CPR0050	K2	J 0Ω, Jumper Wire	U	0.01
	948	CPR0011	K2	TT7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	950	CPQ1301	K2	SS5 60V, .6A, PNP, PN2907A	U	0.04
	951	CPQ1309	K2	SS6 .1A, 200V, PNP, 2SA1370AE	U	0.23
	952	CPR0050	K2	J 0Ω, Jumper Wire	U	0.01
	953	CPR0127	K2	SS6 205Ω ±1%, 1/4W, MF	U	0.01
	954	CPQ1309	K3	TT7 .1A, 200V, PNP, 2SA1370AE	U	0.23
	955	CPR0011	K3	TT7 1.8KΩ ±5%, 1/4W, CF	U	0.01
	956	CPC1005	K3	TT6 1,000pF ±10%, 500V, Ceramic	U	0.01
	957	CPC1043	K3	TT5 1uF ±5%, 50V, Film	U	0.16
	958	CPD1250	K3	TT7 100mA, 200V Diode, FDH400	U	0.02
	959	CPD1250	K4	WW0 100mA, 200V Diode, FDH400	U	0.02
	961	CPS1758	K4	YY1 .093" Bead Pin, Dag. GND	U	0.02
		CPM2003	K4	Cable Tie, 4"	U	0.01
		CPM2043		Video Board Cover	U	0.61
!	971	CPS1856		ZZ0 3693, Degaussing Coil	U	15.14
!	CRT	CPP1721		36" RCA A90AEJ15X02 CRT. c	U	918.75
		CPS1846		36" Grounding Strap	U	0.79
	CS	Solder Conn.	A6	DD9 CSync Pin 1&2 of Conn.292	U	
	I	Solder Conn.	D5	JJ1 Vertical linearity Adjustment.	U	
	ID	Solder Conn.	E6	KK4 Horizontal Frequency Adj.	U	
	JC	Solder conn	D1	GG5 Power Supply V+ Adj.	U	
	JD	Solder Conn.	D1	HH7 Power Supply V+ Adj.	U	
	M	CPM2024		Front Support Bracket	U	1.87
	M	CPM2025		Rear Support Bracket	U	0.18
	M	CPM2026		Right Support Bracket	U	0.42
	M	CPM2029		Left Support Bracket	U	0.42
	M	CPM2113	G6	H. Transistor Support	U	
	M	CPM2550	G6	H. Transistor Support Screw	U	
	M	CPM2551	G6	H. Transistor Support Screw	U	0.03
	S2	Solder Conn.	F5	PP3 Raster Shift, Two Units.	U	
	SL	Solder Conn.	G5	OO3 Raster Shift Left.	U	
	TR	Solder Conn.	G2	JJ6 Cut pin1 of 166, solder pad 1&2.	U	
	V+	124		123V to 125V	U	